# 212 - TEAK SEALER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS Reference Number: 302140
Issue date: 4/30/2013 Revision date: 1/29/2025 Supersedes version of: 5/24/2022 Version: 4.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture
Trade name : 212 - TEAK SEALER
UFI : 5H8A-QRVC-G302-GC85
Product code : 302140
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Intended for general public
Main use category : Professional use,Consumer use
Use of the substance/mixture : PROTECTS AND BEAUTIFIES FOR TEAK

### 1.3. Details of the supplier of the safety data sheet

PROYACHT
ZA de l'Argile
460 avenue de la Quiera - 213 voie E
06370 Mouans Sartoux
FRANCE
T 33 (0) 493 229 865, F 33 (0) 493 733 729
contact@proyacht.fr, www.clinazur.com

### 1.4. Emergency telephone number

| Country/Area | Organisation/Company | Address | Emergency number | Comment |
|---|---|---|---|---|
| United Kingdom | Guy's & St Thomas' Poisons Unit<br>Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road<br>SE14 5ER | +44 20 7188 7188 | |
| United Kingdom | National Poisons Information Service (Newcastle Centre)<br>Regional Drugs and Therapeutics Centre | 16/17 Framlington Place<br>Newcastle-upon-Tyne<br>NE2 4AB Newcastle | 0344 892 0111 | Only for healthcare professionals |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Specific target organ toxicity – Single exposure, Category 3, Narcosis H336
Aspiration hazard, Category 1 H304
Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02 GHS07 GHS08

| | | |
|---|---|---|
| Signal word (CLP) | : | Danger |
| Contains | : | Hydrocarbons,C9-C11 , n-alkanes, isoalkanes, cycliques,<2% aromatics |
| Hazard statements (CLP) | : | H226 - Flammable liquid and vapour.<br>H304 - May be fatal if swallowed and enters airways.<br>H336 - May cause drowsiness or dizziness. |
| Precautionary statements (CLP) | : | P101 - If medical advice is needed, have product container or label at hand.<br>P102 - Keep out of reach of children.<br>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P261 - Avoid breathing vapours.<br>P271 - Use only outdoors or in a well-ventilated area.<br>P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do NOT induce vomiting.<br>P312 - Call a POISON CENTER, a doctor if you feel unwell.<br>P405 - Store locked up.<br>P501 - Dispose of contents and container to an authorised waste collection point. |
| EUH-statements | : | EUH208 - Contains . May produce an allergic reaction.<br>EUH066 - Repeated exposure may cause skin dryness or cracking. |
| Child-resistant fastening | : | Applicable |
| Tactile warning | : | Applicable |

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---|---|
| Hydrocarbons,C9-C11 , n-alkanes, isoalkanes, cycliques,<2% aromatics | EC-No.: 919-857-5<br>REACH-no: 01-2119463258-33*** | 50 – 75 | Flam. Liq. 3, H226<br>STOT SE 3, H336<br>Asp. Tox. 1, H304 |
| 1-methoxy-2-propanol,<br>substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit | CAS-No.: 107-98-2<br>EC-No.: 203-539-1<br>EC Index-No.: 603-064-00-3<br>REACH-no: 01-2119457435-35 | 20 – 25 | Flam. Liq. 3, H226<br>STOT SE 3, H336 |
| n-butyl acetate<br>substance with a Community workplace exposure limit | CAS-No.: 123-86-4<br>EC-No.: 204-658-1<br>EC Index-No.: 607-025-00-1 | 1 – 4 | Flam. Liq. 3, H226<br>STOT SE 3, H336 |
| Hydroxyphenylbenzotriazole | EC-No.: 400-830-7<br>EC Index-No.: 607-176-00-3<br>REACH-no: 01-0000015075-76 | 0.4 – 0.7 | Skin Sens. 1, H317<br>Aquatic Chronic 2, H411 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after ingestion : Risk of lung oedema.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media can be used. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Protective equipment : See Headings 7 and 8.

Emergency procedures : Evacuate unnecessary personnel. No open flames, no sparks, and no smoking.

#### For emergency responders

Protective equipment : Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Do not use in a confined space until fresh air flow established/confirm that atmosphere is not flammable or oxygen deficient. Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only non-sparking tools. Flammable vapours may accumulate in the container. Use only outdoors or in a well-ventilated area. Avoid breathing vapors.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use.

Incompatible products : Oxidizing agent. Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage area : Keep away from open flames, hot surfaces and sources of ignition. Store in a well-ventilated place.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**National occupational exposure and biological limit values**

| 1-methoxy-2-propanol, (107-98-2) | |
|---|---|
| **EU - Indicative Occupational Exposure Limit (IOEL)** | |
| Local name | 1-Methoxypropanol-2 |
| IOEL TWA | 375 mg/m³ |
| | 100 ppm |
| IOEL STEL | 568 mg/m³ |
| | 150 ppm |
| Remark | Skin |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |
| **United Kingdom - Occupational Exposure Limits** | |
| Local name | 1-Methoxypropan-2-ol |

| 1-methoxy-2-propanol, (107-98-2) | |
|---|---|
| WEL TWA (OEL TWA) | 375 mg/m³ |
| | 100 ppm |
| WEL STEL (OEL STEL) | 560 mg/m³ |
| | 150 ppm |
| Remark | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

| n-butyl acetate (123-86-4) | |
|---|---|
| **EU - Indicative Occupational Exposure Limit (IOEL)** | |
| Local name | n-Butyl acetate |
| IOEL TWA | 241 mg/m³ |
| | 50 ppm |
| IOEL STEL | 723 mg/m³ |
| | 150 ppm |
| Remark | SCOEL Recommendations (Ongoing) |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2019/1831 |

## 8.2. Exposure controls

### Appropriate engineering controls

**Appropriate engineering controls:**
Ensure good ventilation of the work station.

### Personal protection equipment

**Personal protective equipment:**
Avoid all unnecessary exposure.
**Personal protective equipment symbol(s):**



### Eye and face protection

**Eye protection:**
Chemical goggles or safety glasses

### Skin protection

**Skin and body protection:**
Wear suitable protective clothing

**Hand protection:**
In case of repeated or prolonged contact wear gloves

### Respiratory protection

**Respiratory protection:**
Wear appropriate mask

### Environmental exposure controls

**Environmental exposure controls:**
Avoid release to the environment.
**Other information:**
Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | Liquid |
| Colour | : | Yellow. |
| Appearance | : | clear. |
| Odour | : | Solvent. |
| Odour threshold | : | Not available |
| Melting point | : | Not applicable |
| Freezing point | : | Not available |
| Boiling point | : | Not available |
| Flammability | : | Not applicable |
| Lower explosion limit | : | Not available |
| Upper explosion limit | : | Not available |
| Flash point | : | 27 °C |
| Auto-ignition temperature | : | Not available |
| Decomposition temperature | : | Not available |
| pH | : | Not available |
| Viscosity, kinematic | : | Not available |
| Solubility | : | Not available |
| Partition coefficient n-octanol/water (Log Kow) | : | Not available |
| Vapour pressure | : | Not available |
| Vapour pressure at 50°C | : | Not available |
| Density | : | 0.81 |
| Relative density | : | Not available |
| Relative vapour density at 20°C | : | Not available |
| Particle characteristics | : | Not applicable |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | | |
|---|---|---|
| Acute toxicity (oral) | : | Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal) | : | Not classified (Based on available data, the classification criteria are not met) |

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

| 1-methoxy-2-propanol, (107-98-2) | |
|---|---|
| LD50 oral | 3739 mg/kg bodyweight |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal)) |
| LD50 dermal | > 2000 mg/kg bodyweight |
| LC50 Inhalation - Rat (Dust/Mist) | > 26315 mg/l |

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure : May cause drowsiness or dizziness.

| Hydrocarbons,C9-C11 , n-alkanes, isoalkanes, cycliques,<2% aromatics | |
|---|---|
| STOT-single exposure | May cause drowsiness or dizziness. |

| 1-methoxy-2-propanol, (107-98-2) | |
|---|---|
| STOT-single exposure | May cause drowsiness or dizziness. |

| n-butyl acetate (123-86-4) | |
|---|---|
| STOT-single exposure | May cause drowsiness or dizziness. |

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

| 1-methoxy-2-propanol, (107-98-2) | |
|---|---|
| LOAEL (oral, rat, 90 days) | 2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) |
| NOAEL (oral, rat, 90 days) | 919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |

Aspiration hazard : May be fatal if swallowed and enters airways.

| 1-methoxy-2-propanol, (107-98-2) | |
|---|---|
| Viscosity, kinematic | 1.96 mm²/s |

### 11.2. Information on other hazards

#### Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short–term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long–term (chronic) : Not classified (Based on available data, the classification criteria are not met)

| Hydrocarbons,C9-C11 , n-alkanes, isoalkanes, cycliques,<2% aromatics | |
|---|---|
| EC50 - Crustacea [1] | > 1000 mg/l |

| 1-methoxy-2-propanol, (107-98-2) | |
|---|---|
| LC50 - Fish [1] | > 1000 mg/l |
| EC50 - Crustacea [1] | > 1000 mg/l |
| EC50 - Other aquatic organisms [1] | 2954 mg/l Test organisms (species): other aquatic crustacea: |
| EC50 - Other aquatic organisms [2] | > 500 mg/l |

| Hydroxyphenylbenzotriazole | |
|---|---|
| LC50 - Fish [1] | 2.8 mg/l |
| EC50 - Crustacea [1] | 3.8 mg/l |

### 12.2. Persistence and degradability

| 212 - TEAK SEALER | |
|---|---|
| Persistence and degradability | Not established. |

| Hydrocarbons,C9-C11 , n-alkanes, isoalkanes, cycliques,<2% aromatics | |
|---|---|
| Persistence and degradability | Rapidly degradable |

| 1-methoxy-2-propanol, (107-98-2) | |
|---|---|
| Persistence and degradability | Readily biodegradable. |

| n-butyl acetate (123-86-4) | |
|---|---|
| Persistence and degradability | Rapidly degradable |

| Hydroxyphenylbenzotriazole | |
|---|---|
| Persistence and degradability | Rapidly degradable |

### 12.3. Bioaccumulative potential

| 212 - TEAK SEALER | |
|---|---|
| Bioaccumulative potential | Not established. |

| 1-methoxy-2-propanol, (107-98-2) | |
|---|---|
| Partition coefficient n-octanol/water (Log Pow) | -0.49 |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of this material and its container at hazardous or special waste collection point.

| | | |
|---|---|---|
| Sewage disposal recommendations | : | Not applicable as there is no release to wastewater. |
| Product/Packaging disposal recommendations | : | Dispose in a safe manner in accordance with local/national regulations. |
| Additional information | : | Handle empty containers with care because residual vapours are flammable. |
| Ecological waste information | : | Avoid release to the environment. |


## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| ADR | IMDG | IATA |
|---|---|---|
| **14.1. UN number or ID number** | | |
| UN 1993 | UN 1993 | UN 1993 |
| **14.2. UN proper shipping name** | | |
| FLAMMABLE LIQUID, N.O.S. | FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C11, n-alkanes, cyclics, < 2% aromatics) | Flammable liquid, n.o.s. |
| **14.3. Transport hazard class(es)** | | |
| 3 | 3 | 3 |
|  |  |  |
| **14.4. Packing group** | | |
| III | III | III |
| **14.5. Environmental hazards** | | |
| Dangerous for the environment: No | Dangerous for the environment: No<br>Marine pollutant: No<br>EmS-No. (Fire): F-E<br>EmS-No. (Spillage): S-E | Dangerous for the environment: No |
| No supplementary information available | | |

### 14.6. Special precautions for user

**Overland transport**

| | | |
|---|---|---|
| Classification code (ADR) | : | F1 |
| Limited quantities (ADR) | : | 5l |
| Excepted quantities (ADR) | : | E1 |
| Transport category (ADR) | : | 3 |
| Special provisions for carriage - Packages (ADR) | : | V12 |
| Hazard identification number (Kemler No.) | : | 30 |
| Orange plates | : |  |
| Tunnel restriction code (ADR) | : | D/E |
| EAC code | : | •3YE |



**Transport by sea**

| | | |
|---|---|---|
| Special provisions (IMDG) | : | 223, 274, 955 |
| Limited quantities (IMDG) | : | 5 L |
| Excepted quantities (IMDG) | : | E1 |
| Packing instructions (IMDG) | : | P001, LP01 |
| Stowage category (IMDG) | : | A |

**Air transport**

| | | |
|---|---|---|
| PCA Excepted quantities (IATA) | : | E1 |

| | | |
|---|---|---|
| PCA Limited quantities (IATA) | : | Y344 |
| PCA limited quantity max net quantity (IATA) | : | 10L |
| PCA packing instructions (IATA) | : | 355 |
| PCA max net quantity (IATA) | : | 60L |
| CAO packing instructions (IATA) | : | 366 |
| CAO max net quantity (IATA) | : | 220L |
| Special provisions (IATA) | : | A3 |
| ERG code (IATA) | : | 3L |

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

#### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

**Indication of changes:**
Revision - See : *.

| Indication of changes | | |
|---|---|---|
| **Section** | **Changed item** | **Comments** |
| | Revision date | **Modified** |
| | Supersedes | **Modified** |
| 1.1 | Trade name | **Added** |

| Indication of changes | | |
|---|---|---|
| **Section** | **Changed item** | **Comments** |
| 1.1 | UFI on SDS 1.1 | **Added** |
| 1.2 | Use of the substance/mixture | **Added** |

Other information : None.

| Full text of H- and EUH-statements: | |
|---|---|
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| EUH208 | Contains . May produce an allergic reaction. |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H317 | May cause an allergic skin reaction. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

Safety Data Sheet (SDS), EU


DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable